

COVID-19 HOSPITALIZATION AND DEATH BY AGE

FACTORS THAT INCREASE COMMUNITY SPREAD AND INDIVIDUAL RISK



CROWDED SITUATIONS



CLOSE / PHYSICAL CONTACT



ENCLOSED SPACE



DURATION OF EXPOSURE

Rate ratios compared to 18-29 year olds

0-4 years

5-17 years

18-29 years

30-39 years

40-49 years

50-64 years

65-74 years

75-84 years

85+ years

HOSPITALIZATION¹

4x lower

9x lower

Comparison Group

2x higher

3x higher

4x higher

5x higher

8x higher

13x higher

DEATH²

9x lower

16x lower

Comparison Group

4x higher

10x higher

30x higher

90x higher


220x higher

630x higher

ACTIONS TO REDUCE RISK OF COVID-19



WEARING A MASK



SOCIAL DISTANCING (6 FT GOAL)



HAND HYGIENE



CLEANING AND DISINFECTION



¹ Data source: COVID-NET (<https://www.cdc.gov/coronavirus/2019-ncov/covid-data/covidview/index.html>, accessed 08/06/20). Numbers are unadjusted rate ratios.

² Data source: NCHS Provisional Death Counts (<https://www.cdc.gov/nchs/nvss/vsrr/COVID19/index.htm>, accessed 08/06/20). Numbers are unadjusted rate ratios.

cdc.gov/coronavirus